

Search Results -

Term	Documents
CAMERA\$1	0
CAMERA.DWPI,TDBD,EPAB,JPAB,USPT.	313760
CAMERAA.DWPI,TDBD,EPAB,JPAB,USPT.	8
CAMERAC.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAD.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAE.DWPI,TDBD,EPAB,JPAB,USPT.	13
CAMERAL.DWPI,TDBD,EPAB,JPAB,USPT.	311
CAMERAM.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAN.DWPI,TDBD,EPAB,JPAB,USPT.	2
CAMERAS.DWPI,TDBD,EPAB,JPAB,USPT.	51575
(L23 AND (CAMERA\$1 OR CCD\$1)).USPT,JPAB,EPAB,DWPI,TDBD.	0

There are more results than shown above. Click here to view the entire set.

	US Patents Full-Text Database
	JPO Abstracts Database
	EPO Abstracts Database
	Derwent World Patents Index
Database:	IBM Technical Disclosure Bulletins 🕞

	y		
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		įį	\$
	§ .	, , , , , , , , , , , , , , , , , , , 	Cloar
Refine Search:		•	Clear
	***************************************	hoood	E


Search History



WEST

Freeform Search

Database:	JPO Abstracts EPO Abstracts Derwent Worl				
Term:	117 and (ne or processo	etwork or databa or)	se or server o	r computer	
Display: Generate:		ents in <u>Display Fo</u> Hit Count () II	***************************************	arting with Number	1
1000 10	Search	Clear Help	Logout	Interrupt	
	Main Menu	Show S Numbers	Edit S Numbers	Preferences	
		Search	History		







PALM INTRANET.

Day: Wednesday Date: 1/3/2001 Time: 09:04:53

Inventor Name Search Result

Your Search was:

Last Name = DEKOCK

First Name = BRUCE

Serial#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09550476</u>	Not Issued	30		SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
60130399	Not Issued	159	88	SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
<u>60166868</u>	Not Issued	159	3 5	SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
60189913	Not Issued	2	; ,	SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.

Inventor Search Completed: No more records to search.

	Last Name	First Name	
Search Another:	DEKOCK	BRUCE	
Inventor		Search	

(To Go BACK Use BACK Button on Your BROWSER Tool Bar)

Back to || PALM || ASSIGNMENT || OASIS || Home Page



Freeform Search

Database:	US Palents Full Text Dalabase JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	
Display: Generate:	Documents in <u>Display Format</u> : TI Starting with Number 1 Hit List Hit Count Image
	Search Clear Help Logout Interrupt
	Main Menu Show S Numbers Edit S Numbers Preferences

Search History

<u>DB Name</u>	Query	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	l6 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1	<u>L1</u>

WEST

End of Result Set

Generate Collection

L15: Entry 5 of 5

File: JPAB

Nov 9, 1999

PUB-NO: JP411313215A

DOCUMENT-IDENTIFIER: JP 11313215 A

TITLE: IMAGE DATA TRANSMITTER AND IMAGE DATA DISTRIBUTION SYSTEM

PUBN-DATE: November 9, 1999

INVENTOR-INFORMATION:

NAME COUNTRY

SUZUKI, SEIICHI N/A SATO, ATSUSHI N/A

YAMAKAWA, HIROYUKI N/A

ASSIGNEE-INFORMATION:

NAME COUNTRY

AQUEOUS RESERCH: KK N/A

APPL-NO: JP10131421

APPL-DATE: April 24, 1998

INT-CL (IPC): H04N 1/48; G08G 1/01; G08G 1/04

ABSTRACT:

PROBLEM TO BE SOLVED: To provide the <u>image data distribution</u> system that displays an <u>image</u> with excellent color reproducibility.

SOLUTION: The image distribution system is provided with a traffic information display device, a base station, a video transmitter 25 to which image request data are sent from the traffic information display device via the base station, and a CCD camera 23a that picks up an image based on a control signal from the video transmitter 25. Upon the receipt of the image request data, a switch 252 of the image transmitter 25 is used to apply a power supply 231 of the CCD camera 23a again. A white balance adjustment section 233 of the CCD camera 23a sets white balance again at application of power. Thus, an object is photographed while the white balance is adjusted in matching with a color temperature around the object at all times. Image data obtained by photographing are compressed by the video transmitter 25 and the compressed data are sent to the traffic information display device via the base station and displayed on the display device.

COPYRIGHT: (C) 1999, JPO

Generate Collection

Search Results - Record(s) 11 through 14 of 14 returned.

☐ 11. Document ID: US 5412573 A

L20: Entry 11 of 14

File: USPT

May 2, 1995

US-PAT-NO: 5412573

DOCUMENT-IDENTIFIER: US 5412573 A

TITLE: Multi-mode route guidance system and method therefor

Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image

☐ 12. Document ID: JP 09252260 A

L20: Entry 12 of 14 File: JPAB

Sep 22, 1997

PUB-NO: JP409252260A

DOCUMENT-IDENTIFIER: JP 09252260 A

TITLE: TRAFFIC INFORMATION DISPLAY SYSTEM

Full Title Citation Front Review Classification Date Reference Claims RMC Draw, Desc Clip Img Image

13. Document ID: JP 11312295 A

L20: Entry 13 of 14

File: DWPI

Nov 9, 1999

DERWENT-ACC-NO: 2000-049219

DERWENT-WEEK: 200006

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Traffic information data management procedure for digital map - involves connecting display unit to server such that it does not transmit demand signal to server when

updation of data of display unit is performed

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw, Desc | Clip Img | Image

14. Document ID: JP 09044791 A

L20: Entry 14 of 14 File: DWPI

Feb 14, 1997

DERWENT-ACC-NO: 1997-184718

DERWENT-WEEK: 199717

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Vehicle navigation apparatus - has decision circuit determining if particular route is passable based on newest traffic information and road map database and showing reason for impassability of route through display device

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWC | Draw. Desc | Clip Img | Image |

Generate Collection

Documents
0
85604
1
200
1
1
4
1
1
432
14


There are more results than shown above. Click here to view the entire set.

Display 10 Documents, starting with Document: 14

Display Format: TI Change Format

DB Name	Query	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	121 and ((map\$1) near7 (server\$1 or database\$1))	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u> .
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	16 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1	<u>L1</u>





Search Results -

Term	Documents
TRAFFIC\$1	0
TRAFFIC.DWPI,TDBD,EPAB,JPAB,USPT.	85604
TRAFFICA.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICE.DWPI,TDBD,EPAB,JPAB,USPT.	200
TRAFFICH.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICI.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICK.DWPI,TDBD,EPAB,JPAB,USPT.	4
TRAFFICM.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICO.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICS.DWPI,TDBD,EPAB,JPAB,USPT.	432
(L29 AND TRAFFIC\$1).USPT,JPAB,EPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Database:

L29 AND TRAFFIC\$1


Refine Search:

Clear

Search History

DB Name	<u>Query</u>	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	L29 AND TRAFFIC\$1	1	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	128 and locat\$3	1	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	127 and database\$1	1	<u>L28</u>

USPT,JPAB,EPAB,DWPI,TDBD	11 and (map\$4 or traffic\$1)	1	<u>L27</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	l21 and ((map\$1) near7 (server\$1 or database\$1))	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	l16 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u>
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	16 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1 -	<u>L1</u>



Search Results -

Term	Documents
TRAFFIC\$1	0
TRAFFIC.DWPI,TDBD,EPAB,JPAB,USPT.	85604
TRAFFICA.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICE.DWPI,TDBD,EPAB,JPAB,USPT.	200
TRAFFICH.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICI.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICK.DWPI,TDBD,EPAB,JPAB,USPT.	4
TRAFFICM.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICO.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICS.DWPI,TDBD,EPAB,JPAB,USPT.	432
(L29 AND TRAFFIC\$1).USPT,JPAB,EPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Database:

L29 AND TRAFFIC\$1

Refine Search:

Clear

Search History

DB Name	<u>Query</u>	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	L29 AND TRAFFIC\$1	1	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	128 and locat\$3	1	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	127 and database\$1	1	<u>L28</u>

USPT,JPAB,EPAB,DWPI,TDBD	11 and (map\$4 or traffic\$1)	1	<u>L27</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0 .	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	<pre>121 and ((map\$1) near7 (server\$1 or</pre>	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u>
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	l6 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1	<u>L1</u>